

Product guide


HP Color LaserJet Enterprise MFP X47635 Printer Series

Enterprise performance in a compact design

Empower small work teams to get more done with enterprise printing performance, professional color quality and speed. Simple fleet management and advanced security keeps users productive and simplifies IT operations.

- Stay productive with enterprise level performance
- Simplify IT operations with seamless fleet control
- Protect what matters with the most secure printers[1]
- Save energy and help reduce waste

HP Color LaserJet Enterprise MFP X47635 Walkaround



 Product availability may differ per Market, please contact your HP representative for availability information.

HP Color LaserJet Enterprise MFP X47635 Series Comparison






Model	HP Color LaserJet Enterprise MFP X47635f	HP Color LaserJet Enterprise MFP X47635fw
Product Number	67Q07A	67Q08A
Functions	Print, Scan, Copy, Fax	Print, Scan, Copy, Fax
Print speed(Letter/A4) [2]	35/33 ppm	35/33 ppm
Scan speed [3]	33 ppm simplex/66 ipm duplex (color) 40 ppm simplex/80 ipm duplex (mono)	33 ppm simplex/66 ipm duplex (color) 40 ppm simplex/80 ipm duplex (mono)
Auto 2-sided printing	Yes	Yes
Connectivity	USB, Ethernet	USB, Ethernet, Dual-Band Wi-Fi 6, Bluetooth
Control panel	4.3" Color Touchscreen	4.3" Color Touchscreen
Input capacity (std/max)	300/1,400	300/1,400
Memory and Storage	4GB RAM, 32GB eMMC	4GB RAM, 32GB eMMC
RMPV [4]	Up to 4,200	Up to 4,200
Key Solutions	Searchable PDF HP Editable OCR (w/ license) HP Smart Device Services HP Workforce Experience Platform[5]	Searchable PDF HP Editable OCR (w/ license) HP Smart Device Services HP Workforce Experience Platform[5]
Workpath enabled	No	No
Extensibility	HP FutureSmart, OXPd support	HP FutureSmart, OXPd support

Product availability may differ per Market, please contact your HP representative for availability information.

Accessories Configuration



300-sheet standard input tray supports media sizes up to Legal (8.5x14 inch)



HP 4000 Series HIP Enabler Accessory

Enable user authentication through badges, cards and mobile devices with HP's hardware integration pocket (HIP) for simple user experience & polished look.



550 Sheet Paper Tray

- Up to 550 sheets for 850 input capacity
- Media up to Legal (8.5x14in)
- Media weight: 60 to 120gsm



X2 550 Sheet Paper Tray

- Up to 1,100 sheets for 1,400 max input capacity
- Media up to Legal (8.5x14in)
- Media weight: 60 to 120gsm

Accessory Description	Accessory SKU#
550 Sheet Paper Tray	BV1G1A
HP 4000 Series HIP Enabler Accessory	CD1R8A

Accessories

Accessory Type	Accessory SKU #	Accessory Description
SA	B5L31A	HP Foreign Interface Harness
WIFI	8FP31A	HP Jetdirect LAN Accessory
ACCESIBILITY	478C2A	HP Printing Voice Assistant
GOV	CC543B	HP SmartCard NIPRNet Solution for US Government
GOV	F8B30A	HP SmartCard SIPRNet Solution for US Government
WiFi	9R1U0A	HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory
HIP Adapter	CD1R8A	HP Enterprise 4000 HIP Enabler Accessory
Paper Tray	BV1G1A	HP LaserJet 550 Sheet Paper Tray
Paper Tray	BV1G2A	HP LaserJet 550 Sheet Grey Paper Tray*
SIM	2NJ29B	HP SIM for Secure Mifare
SIM	Y7C07B	HP SIM for Secure HID
License	BK5S6AAE	HP Editable OCR A4
Card Reader	35H11B	HP HID Mob Acc Mifare DES Fire Keystroking Reader
Card Reader	Y7C05B	HP HIP2 Keystroke Reader
Card Reader	4QL32A	HP Legic Secure USB Reader
Card Reader	X3D03B	HP USB Card Reader
Card Reader	4QL32B	HP Legic Secure USB Reader
Card Reader	BT1T9B	This HP Legic Keystroke reader

*Availability limited to China

HP Color LaserJet Enterprise MFP X47635 Printer series Technical specifications

Model	HP Color LaserJet Enterprise MFP X47635f printer	HP Color LaserJet Enterprise MFP X47635fw printer
Product number	67Q07A	67Q08A
AIO functions	Print, copy, scan, fax	
Print		
Print speed[12],[13]	First page out Letter: As fast as 5.9 sec Black; As fast as 6.5 sec Color; First page out A4: As fast as 6.1 sec Black; As fast as 6.7 sec Color; Letter: Up to 35 ppm Black; Up to 35 ppm Color; A4: Up to 33 ppm Black; Up to 33 ppm Color; 2-sided Letter: Up to 31 ipm Black; Up to 31 ipm Color; 2-sided A4: Up to 29 ipm Black; Up to 29 ipm Color; Print speed (Landscape, A5): Up to 60 ppm Black; Up to 60 ppm Color	First page out Letter: As fast as 7.5 sec Black; As fast as 8.5 sec Color; First page out A4: As fast as 7.7 sec Black; As fast as 8.7 sec Color; Letter: Up to 35 ppm Black; Up to 35 ppm Color; A4: Up to 33 ppm Black; Up to 33 ppm Color; 2-sided Letter: Up to 31 ipm Black; Up to 31 ipm Color; 2-sided A4: Up to 29 ipm Black; Up to 29 ipm Color; Print speed (Landscape, A5): Up to 60 ppm Black; Up to 60 ppm Color
Print resolution	Black (normal) Up to 1200 x 1200 dpi Color (normal): Up to 1200 x 1200 dpi	
Print technology	Laser; Print resolution technology: HP ImageREt 2400, Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)	
Print cartridges number	Toner cartridges may or may not be included based on configuration choices	
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer smart software features	Standard: Searchable PDF; Optional: Editable OCR (with license [BK5S6AAE] only); Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-onTechnology, HP Auto-On/Auto-Off Technology, Easy Access USB, Two-Sided Printing, 4.3-in (10.92 cm) ColorGraphics Display (CGD) with touchscreen; rotating (adjustable angle) display, print multiple pages per sheet (2, 4, 6, 9,16), collation, watermarks, store print jobs, print preview	
Printer management	HP Printer Administrator Resource Kit for the HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator); HP Embedded Web Server; HP Insights/ WXP; HP Security Manager; HP Advanced; HP Command Center; HP Smart Device Services (SDS); HP Web JetAdmin	
Scan		
Scan type / Technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS); Twain version: Version 2.1	
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	
Scan File format	JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR); TEXT (OCR); Unicode TEXT (OCR); RTF (OCR); HTML (OCR); Optional with license CSV (OCR); Open Office XML (.docx, .xlsx, .pptx)	
Scan input modes	Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA	
Scan Size	ADF: 8.5 x 14 in Maximum; 4.1 x 5.8 in Minimum; Flatbed: 8.5 x 11.7 in	
Scan speed[1]	Up to 40 ppm/80 ipm (b&w), up to 33 ppm/66 ipm (color) Letter; Up to 39 ppm/78 ipm (b&w), up to 32 ppm/64 ipm (color) A4; Duplex: Up to 80 ipm (b&w), up to 66 ipm (color) Letter; Up to 78 ipm (b&w), up to 64 ipm (color) A4	
Scanner advanced features	Searchable PDF/A (OCR); Searchable PDF (OCR); XPS; MTIFF; JPG; PDF/A; TIFF; PDF	
Bit depth / Grayscale levels	24-bit / 256	
Digital sending standard features	Scan to OneDrive; Scan to Job Storage; Scan to email; Scan to network folder; Scan to USB drive; Scan to FTP; scan to fax; local address book; automatically detect color/mono; high compression pdf; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture; content orientation; scan mode (book, 2-sided); erase edges, auto page crop; job build, image preview; blank page suppression, automatically straighten; Optional: Editable OCR (With License)	
Copy		
Copy speed[3]	Letter: Up to 35 cpm Black; Up to 35 cpm Color; A4: Up to 33 cpm Black; Up to 33 cpm Color; First copy out Letter: As fast as 7.5 sec Black; As fast as 8.5 sec Color; First copy out A4: As fast as 7.7 sec Black; As fast as 8.7 sec Color; 2-sided Letter: Up to 31 ipm Black; Up to 31 ipm Color; 2-sided A4: Up to 29 ipm Black; Up to 29 ipm Color	
Copy resolution	Color (text and graphics): Up to 600 x 600 dpi	
Maximum Number of Copies	Up to 9999 copies	
Copier resize	25 to 400%	
Copier settings	Two-sided copy; Black; Color; Watermark; Stamps; Image overlay; Scan mode (book, 2-sided ID); Reduce/Enlarge; Image shift; Original Size; Paper selection; Booklet; Content orientation; Image adjustment; optimized text/picture (auto); Edge Erase; Collation; Blank page suppression; Automatically strainghten	
Fax		
Fax speed[11]	Up to:33.6 kbps (maximum); 14.4 kbps (default) / Letter:3 sec per page	
Fax resolution	Black (best): Up to 300 x 300 dpi; Black (standard): 203 x 98 dpi	
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Fax Features	Fax memory: Dependent on the amount of available disk space; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Remote retrieval capability supported: No; Telephone handset supported: No	
Connectivity		
Standard connectivity	1 Fax; 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hi-Speed USB 2.0 (device); 2 Hi-Speed USB 2.0 (host)	802.11a/b/g/n/ac/ax (2.4/5 GHz) Wi-Fi radio + BLE; 1 Fax; 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hi-Speed USB 2.0 (device); 2 Hi-Speed USB 2.0 (host)
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Dual Band 802.11a/b/g/n/ac/ax wireless networking (Standard); second Ethernet port (Optional); Microsoft Universal Print (MUP) support	
Wireless capability	Optional, Dual Band Wireless Station and Wi-Fi Direct Functionality available via optional HP Jetdirect 3200w Wi-Fi 6 BLE/Wireless Accessory 9R1U0A	Standard, Dual band Wireless Station and Wi-Fi Direct functionality via embedded Wi-Fi 6 BLE/Wireless Module

HP Color LaserJet Enterprise MFP X47635 Printer series Technical specifications

Model	HP Color LaserJet Enterprise MFP X47635f printer	HP Color LaserJet Enterprise MFP X47635fw printer
Product number	67Q07A	67Q08A
Mobile printing capability	Apple AirPrint™; Mopria™ certified	Wi-Fi® Direct Printing; Apple AirPrint™; Mopria™ certified
Memory	Standard: 4 GB DDR4; Maximum: 4 GB	
Processor speed	Dual Core (1.4 GHz)	
Storage	Standard: 32 GB eMMC Hard disk: Not available	
Duty cycle (monthly)[14]	Letter: Up to 100,000 pages; A4: Up to 100,000 pages; Recommended monthly page volume: 1600 - 4200 pages	
Paper handling		
Input	Standard: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF); Up to 300 sheets; Up to 15 envelopes; Maximum: Up to 1,440 sheets (with 2 Optional 550-sheet trays)	
Output	Up to 150 sheets Standard; Maximum: Up to 150 sheets	
Duplex Options	Automatic (default)	
Auto document feeder capacity[2]	Standard, 50 sheets; Duplex ADF scanning: Yes, single pass duplex scanning	
Envelope feeder	No	
Standard paper trays	Standard: 2; Maximum: 4	
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes	
Media weight	Tray 1: 16 to 47 lb bond (up to 52 lb with HP Color laser glossy photo papers); Tray 2: 16 to 43 lb bond (up to 47 lb with postcards, up to 52 lb with HP Color laser glossy photo papers); optional Tray 3: 16 to 43 nlb bond (up to 47 lb with postcards, up to 52 lb with HP Color laser glossy photo papers); optional Tray 4: 16 to 43 lb bond (up to 47 lb with postcards, up to 52 lb with HP Color laser glossy photo papers); Automatic duplexer: 16 to 43 lb	
Media sizes	Tray 1: letter, legal, executive, statement, oficio 8.5 x 13, 4 x 6, 3 x 5, 5 x 7, 5 x 8, envelope (No. 9, No. 10, Monarc); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, legal, executive, statement, oficio 8.5 x 13, 4 x 6, 5 x 7, 5 x 8, envelope (No. 9, No. 10, Monarc); Custom: 3.86 x 5.83 to 8.5 x 14 in Optional Tray 3: letter, legal, executive, statement, oficio 8.5 x 13, 4 x 6, 5 x 7, 5 x 8 ; Custom: 3.94 x 5.83 to 8.5 x 14 in; Optional Tray 4: letter, legal, executive, statement, oficio 8.5 x 13, 4 x 6, 5 x 7, 5 x 8 ; Custom: 3.94 x 5.83 to 8.5 x 14 in	
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3, optional Tray 4: 3.93 x 5.82 to 8.5 x 14 in; Duplex (all trays): 5.82 x 5.82 in to 8.5 x 14 in	
Dimensions (W x D x H)	16.6 x 15.1 x 17.2 in; 421 x 384 x 437 mm; Maximum: 16.6 x 24.8 x 36.0 in (printer fully opened); 421 x 631 x 916 mm (printer fully opened)	
Weight	~45 lb; ~20.4kg	
What's in the box[4]	HP Color LaserJet Enterprise MFP X47635f printer; HP Black Original LaserJet Introductory Toner Cartridge (~2,300 pages); HP Cyan, Magenta, Yellow Original LaserJet Introductory Toner Cartridges (~2,000 pages each); Power Cord, Hardware Install Guide, Regulatory Flyer, Warranty Card(Japan, Brazil, Indonesia, Australia/New Zealand, Argentina, China)	HP Color LaserJet Enterprise MFP X47635fw; HP Black Original LaserJet Introductory Toner Cartridge (~2,300 pages); HP Cyan, Magenta, Yellow Original LaserJet Introductory Toner Cartridges (~2,000 pages each); Power Cord, Hardware Install Guide, Regulatory Flyer, Warranty Card(Japan, Brazil, Indonesia, Australia/New Zealand, Argentina, China)
Page yield (set-up/inbox cartridges)	Toner cartridge presence and/or yield may vary based on configuration choices	
Replacement cartridges[6]	HP Black Managed Original LaserJet Toner Cartridge (~10,000 pages) W9230MC; HP Cyan Managed Original LaserJet Toner Cartridge (~8,000 pages) W9231MC; HP Yellow Managed Original LaserJet Toner Cartridge (~8,000 pages) W9232MC; HP Magenta Managed Original LaserJet Toner Cartridge (~8,000 pages) W9233MC	
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.	
Energy star certified	Yes	
Ecolabels[7]	EPEAT Certified Canada; EPEAT Certified Australia; EPEAT Certified India; EPEAT Certified US; CECP; IT ECO Declaration; Blue Angel; SEPA; Taiwan Green Mark; KOECO; ENERGY STAR® certified; Vietnam MEPS; Korea MEPS; Japan PC Green Label	EPEAT Certified Canada; EPEAT Certified Australia; EPEAT Certified US; CECP; IT ECO Declaration; Blue Angel; SEPA; Taiwan Green Mark; KOECO; ENERGY STAR® certified; Vietnam MEPS; Korea MEPS; Japan PC Green Label
Sustainable impact specifications	EPEAT® registered; ENERGY STAR® certified; Contains post-consumer recycled plastic	
Control panel	4.3 in (10.92 cm) Color Graphics Anti-Glare Display (CGD) Touchscreen with Adjustable Angle Display	
Display	4.3 in Color Graphics Anti-Glare Display (CGD) with touchscreen (480 x 272)	
Software included	No software solutions are included in the Box only on http://support.hp.com	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts	
Compatible operating systems	Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: Manjarolinux 20.2; Linux: Manjarolinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: Rhel 6; Linux: Rhel 7; Linux: Rhel 8; Linux: Ubuntu 20.04; Linux: Ubuntu 20.10; Linux: Ubuntu 21.04; Linux: Ubuntu 21.10; Linux: Zorin 15; Linux: Zorin 16; Chrome OS	
Compatible network operating systems	Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; Windows Server 2025 64-bit; Citrix; SAP	
Power[10]	Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 100 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption[5]: 584 watts (active printing), 21.9 watts (ready), 0.72 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off); Typical electricity consumption (TEC) number: 0.340 kWh/Week (Blue Angel); 0.360 kWh/Week (Energy Star 3.0)	
Acoustics[15]	Acoustic power emissions: 6.1 B(A)	
Operating environment	Operating temperature range: 50 to 90.5°F ; Recommended operating temperature: 59 to 80.6°F ; Storage temperature range: -4 to 104°F ; Operating humidity range: 10 to 80% RH ; Recommended operating humidity range: 30 to 70% RH	
Security management	Identity management: Role Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access, Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.; badge readers); Protected Access (embedded) end user passwordless MFA for Microsoft® Entra ID; Proximity card reader, single sign-on, smart card. Network protection: IPsec/firewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin fleet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft®); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); Wi-Fi security; WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Common Criteria Certification; NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, fleet firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce Experience Platform Support (select models): Original HP Enterprise Cartridge Security.	

Country of origin	Made in Thailand

Footnotes

Series at a glance

[1] HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2024 published features of competitive in-class printers. Only HP offers multiple security features that automatically detect, stop, and recover from attacks with a self-healing reboot in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims.

[2] Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[3] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

[4] HP recommends that the number of pages per month of imaged output be within a stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period, the lowest monthly volume shown is based on 60-month usage and the highest 24-month usage.

[5] HP LaserJet X47635series has the ability to be managed by HP Workforce Experience Platform.

[6] Based on HP's internal analysis of business Printers with preinstalled encryption, authentication, malware protection, post-quantum digital signature, and initial BIOS firmware integrity protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS and firmware as of March 2025.

Technical specifications

[1] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

[2] 80 g/m2 paper

[3] First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application and document complexity.

[4] For yield information on the cartridge(s) included with your printer, see http://www.hp.com/toneryield . Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

[5] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[6] Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/toneryield

[7] EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

[8] Memory not expandable.

[9] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device and 230 V for Blue Angel.

[10] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[11] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

[12] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[13] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[14] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups

[15] Simplex Printing A4 at 33 ppm.

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

June 2026